

**Safety Data Sheet**

according to UK REACH Regulation

**DruckWege Type D Tough**

Revision date: 12.05.2022

Page 1 of 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

DruckWege Type D Tough

UFI: 7F00-Q07G-400Q-47A1

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**3D Printing  
resin**Uses advised against**

Not for intraoral area.

**1.3. Details of the supplier of the safety data sheet**

Company name: DruckWege BV  
 Street: Wasaweg 1a  
 Place: NL-9723JD Groningen  
 Telephone: +31 50 7630845  
 e-mail: support@druckwege.com  
 Contact person: Rolf Meijer  
 Internet: www.druckwege.com

**1.4. Emergency telephone number:**

+31 50 7630845 Only available during office hours.


**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

Skin Irrit. 2; H315  
 Eye Irrit. 2; H319  
 Skin Sens. 1A; H317  
 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****GB CLP Regulation****Hazard components for labelling**

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate  
 hexamethylene diacrylate; hexane-1,6-diol diacrylate  
 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide  
 Propylidynetrimethanol, ethoxylated, esters with acrylic acid, reaction products with diethylamine (1 - 6.5 moles ethoxylated)

**Signal word:** Warning**Pictograms:****Hazard statements**

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H411 Toxic to aquatic life with long lasting effects.

# Safety Data Sheet

according to UK REACH Regulation

## DruckWege Type D Tough

Revision date: 12.05.2022

Page 2 of 12

### Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P391	Collect spillage.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (GB CLP Regulation)	
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	75 - < 80 %
	276-957-5	01-2120751202-68
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411	
13048-33-4	hexamethylene diacrylate; hexane-1,6-diol diacrylate	20 - < 25 %
	235-921-9	607-109-00-8
	01-2119484737-22	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H315 H319 H317 H400 H411	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1 - < 5 %
	278-355-8	015-203-00-X
	Repr. 2, Skin Sens. 1B, Aquatic Chronic 2; H361f H317 H411	
159034-91-0	Propylidynetrimethanol, ethoxylated, esters with acrylic acid, reaction products with diethylamine (1 - 6.5 moles ethoxylated)	< 1 %
	500-425-6	01-2119976593-23
	Eye Irrit. 2, Skin Sens. 1A; H319 H317	

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
72869-86-4	276-957-5	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	75 - < 80 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
13048-33-4	235-921-9	hexamethylene diacrylate; hexane-1,6-diol diacrylate	20 - < 25 %
		dermal: LD50 = 3650 mg/kg; oral: LD50 = 5000 mg/kg	
75980-60-8	278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1 - < 5 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

If unconscious but breathing normally, place in recovery position and seek medical advice.  
When in doubt or if symptoms are observed, get medical advice.

# Safety Data Sheet

according to UK REACH Regulation

## DruckWege Type D Tough

Revision date: 12.05.2022

Page 3 of 12

In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

In the case of bluish discoloration (lips, earlobes, finger nails) give oxygen as soon as possible.

If breathing is irregular or stopped, administer artificial respiration.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician. Call a doctor if you feel unwell.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Observe risk of aspiration if vomiting occurs. Do NOT induce vomiting. Rinse mouth immediately and drink 1 glass of water. Get medical advice/attention if you feel unwell.

Never give anything by mouth to an unconscious person or a person with cramps.

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions, Irritating to eyes and skin.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Gases/vapours, toxic

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Evacuate area.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

#### For emergency responders

Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so.

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

# Safety Data Sheet

according to UK REACH Regulation

## DruckWege Type D Tough

Revision date: 12.05.2022

Page 4 of 12

### Other information

Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

#### Further information on storage conditions

Protect against: UV-radiation/sunlight

### 7.3. Specific end use(s)

3D Printing  
resin

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate			
	DNEL, long-term	oral		0,3 mg/kg bw/day
	DNEL, long-term	dermal		0,7 mg/kg bw/day
	DNEL, long-term	inhalation		0,6 mg/m <sup>3</sup>
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			
	Worker DNEL, long-term	inhalation	systemic	3,5 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	1 mg/kg bw/day

# Safety Data Sheet

according to UK REACH Regulation

## DruckWege Type D Tough

Revision date: 12.05.2022

Page 5 of 12

### PNEC values

CAS No	Substance	Value
Environmental compartment		
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	
Freshwater		0,01 mg/l
Marine water		0,001 mg/l
Freshwater sediment		4,56 mg/kg
Marine sediment		0,46 mg/kg
Micro-organisms in sewage treatment plants (STP)		3,61 mg/l
Soil		0,91 mg/kg
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
Freshwater		0,004 mg/l
Freshwater (intermittent releases)		0,035 mg/l
Freshwater sediment		0,029 mg/kg
Marine sediment		0,029 mg/kg
Soil		0,056 mg/kg

### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection.

##### Hand protection

Wear suitable gloves.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Use of protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

##### Thermal hazards

No information available.

##### Environmental exposure controls

Do not allow to enter into surface water or drains.

## Safety Data Sheet

according to UK REACH Regulation

### DruckWege Type D Tough

Revision date: 12.05.2022

Page 6 of 12

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	various
Odour:	like: Acrylate
Odour threshold:	not determined

#### Changes in the physical state

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	> 100 °C
Flash point:	not determined

#### Flammability

Solid/liquid:	not applicable
Gas:	not applicable

#### Explosive properties

The product is not: Explosive.

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	> 230 °C

#### Self-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Water solubility:	poorly soluble

#### Solubility in other solvents

not determined

Partition coefficient n-octanol/water:	not determined
Vapour pressure: (at 20 °C)	< 1 hPa
Density:	not determined
Relative vapour density:	not determined

### 9.2. Other information

#### Other safety characteristics

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

## Safety Data Sheet

according to UK REACH Regulation

### DruckWege Type D Tough

Revision date: 12.05.2022

Page 7 of 12

No known hazardous reactions.

#### 10.4. Conditions to avoid

UV-radiation/sunlight

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Gases/vapours, toxic

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

##### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate				
	oral	LD50 > 5000 mg/kg	Rat	Manufacturer	OECD 401
	dermal	LD50 > 2000 mg/kg	Rat	Manufacturer	OECD 402
13048-33-4	hexamethylene diacrylate; hexane-1,6-diol diacrylate				
	oral	LD50 5000 mg/kg	Rat	Manufacturer	
	dermal	LD50 3650 mg/kg	Rabbit	Manufacturer	OECD 402
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
	oral	LD50 > 5000 mg/kg	Rat	Manufacturer	
	dermal	LD50 > 2000 mg/kg	Rat	Manufacturer	

##### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

##### Sensitising effects

May cause an allergic skin reaction. (7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate; hexamethylene diacrylate; hexane-1,6-diol diacrylate; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; Propylidynetrimethanol, ethoxylated, esters with acrylic acid, reaction products with diethylamine (1 - 6.5 moles ethoxylated))

##### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

##### Information on likely routes of exposure

oral, Skin contact, Eye contact, Inhalation.

#### 11.2. Information on other hazards

## Safety Data Sheet

according to UK REACH Regulation

### DruckWege Type D Tough

Revision date: 12.05.2022

Page 8 of 12

#### Endocrine disrupting properties

No information available.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate					
	Acute crustacea toxicity	EC50 > 1,2 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
13048-33-4	hexamethylene diacrylate; hexane-1,6-diol diacrylate					
	Acute bacteria toxicity	(EC50 270 mg/l)	0,5 h	Activated sludge	Manufacturer	OECD 209
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide					
	Acute algae toxicity	ErC50 > 2,01 mg/l	72 h	Scenedesmus subspicatus	Manufacturer	
	Acute crustacea toxicity	EC50 3,53 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer	
	Acute bacteria toxicity	(EC50 > 1000 mg/l)	3 h	Activated sludge	Manufacturer	

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
13048-33-4	hexamethylene diacrylate; hexane-1,6-diol diacrylate			
	OECD 310	60 - 70 %	28	Manufacturer
	Readily biodegradable (according to OECD criteria).			
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			
	Biodegradation, Water	0 - 10 %	28	Manufacturer
	Poorly biodegradable.			

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate	3,39
13048-33-4	hexamethylene diacrylate; hexane-1,6-diol diacrylate	2,81
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1

#### BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	47 - 55	Cyprinus carpio (Common Carp) fish	Manufacturer

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment



## Safety Data Sheet

according to UK REACH Regulation

### DruckWege Type D Tough

Revision date: 12.05.2022

Page 9 of 12

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **12.7. Other adverse effects**

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

##### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

##### **14.1. UN number or ID number:**

UN 3082

##### **14.2. UN proper shipping name:**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(7,7,9(or 7,9,9)  
-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl  
bismethacrylate; hexamethylene diacrylate; hexane-1,6-diol diacrylate)

##### **14.3. Transport hazard class(es):**

9

##### **14.4. Packing group:**

III

Hazard label:

9



Classification code:

M6

Special Provisions:

274 335 375 601

Limited quantity:

5 L

Excepted quantity:

E1

Transport category:

3

Hazard No:

90

Tunnel restriction code:

-

#### **Inland waterways transport (ADN)**

##### **14.1. UN number or ID number:**

UN 3082

##### **14.2. UN proper shipping name:**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(7,7,9(or 7,9,9)  
-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl  
bismethacrylate; hexamethylene diacrylate; hexane-1,6-diol diacrylate)

##### **14.3. Transport hazard class(es):**

9

##### **14.4. Packing group:**

III

Hazard label:

9



## Safety Data Sheet

according to UK REACH Regulation

### DruckWege Type D Tough


Revision date: 12.05.2022

Page 10 of 12

Classification code: M6  
 Special Provisions: 274 335 375 601  
 Limited quantity: 5 L  
 Excepted quantity: E1

#### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 3082  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 (7,7,9(or 7,9,9))  
 -trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl  
 bismethacrylate; hexamethylene diacrylate; hexane-1,6-diol diacrylate)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
 Hazard label: 9



Special Provisions: 274, 335, 969  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-A, S-F

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 3082  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 (7,7,9(or 7,9,9))  
 -trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl  
 bismethacrylate; hexamethylene diacrylate; hexane-1,6-diol diacrylate)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
 Hazard label: 9



Special Provisions: A97 A158 A197  
 Limited quantity Passenger: 30 kg G  
 Passenger LQ: Y964  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 964  
 IATA-max. quantity - Passenger: 450 L  
 IATA-packing instructions - Cargo: 964  
 IATA-max. quantity - Cargo: 450 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: 7,7,9(or 7,9,9)  
 -trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl  
 bismethacrylate; hexamethylene diacrylate; hexane-1,6-diol diacrylate

#### 14.6. Special precautions for user

No information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

**Safety Data Sheet**

according to UK REACH Regulation

**DruckWege Type D Tough**

Revision date: 12.05.2022

Page 11 of 12

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

**15.2. Chemical safety assessment**

For the following substances of this mixture a chemical safety assessment has been carried out:

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

**SECTION 16: Other information****Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFA: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

**Safety Data Sheet**

according to UK REACH Regulation

**DruckWege Type D Tough**

Revision date: 12.05.2022

Page 12 of 12

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1A; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

**Relevant H and EUH statements (number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*